

# Mpox: Transparency and Accountability for the Global Response

*Issue 13: 1 May 2025*

# Table of Contents

Epidemiology	01
Regulatory	02
Vaccines	04
Supply	04
Manufacturing capacity	04
Procurement	04
Donations	04
Delivery and uptake	05
Testing and therapeutics	06
Financing	08
In the News	11

## Latest Mpox Response Insights

The highlights and latest updates sections below contain our latest analysis and most recent updates across all topic areas since the [last edition](#) of the report. **The updates since the last edition are also written in red in the body of the report.**

In the wake of the U.S. health agencies' communications and foreign aid freezes, we hope to serve as a resource for transparency on emerging outbreaks globally while continuing to provide in-depth analysis of the mpox response. We will provide brief updates on emerging outbreaks with the state of available medical countermeasures and diagnostics needed to effectively respond.

**The intensification phase of the response appears to have an impact with an observed decline in suspected and confirmed cases:** There has been a decrease in the average weekly case counts for both confirmed and suspected mpox cases across the continent in the last 6 weeks when compared to the first 6 weeks following the PHECS declaration in 2024. Part of the decline in cases is due to strides made in Burundi, where cases have been declining consistently since the beginning of 2025 (an average of 30 confirmed cases a week vs 200 a week in October 2024). Burundi is now preparing to move from the intensification phase of the response to the legacy phase. The deployment of community health workers, decentralization of laboratories, and intensification of active case tracing is thought to be contributing to the decline in cases across the continent. The decline in cases comes a few weeks before the Emergency Consultative Group is scheduled to review the mpox outbreak's designation as a public health emergency of continental security on May 17<sup>th</sup>.

### Latest updates at a glance:

- Two rapid diagnostic tests (RDTs) are being evaluated by Africa CDC's Diagnostic Advisory Committee – Conti Pharma and Revital. Both of these tests were evaluated last year and manufacturers have made improvements to the tests to increase the sensitivity for mpox diagnosis. Results of the evaluation are expected by the second week of May 2025.
- The DRC received 23,000 doses of vaccines from Spain on April 18<sup>th</sup>.
- Vaccination efforts resumed in Uganda with over 61,000 people vaccinated.
- Malawi declared its first mpox outbreak on April 16<sup>th</sup>. There have been 4 confirmed cases and none of the cases have a history of travel to areas with ongoing transmission.
- Burundi's Ministry of Health is working to validate the National Decentralization Plan for mpox diagnostic which will enhance coordination between decentralized laboratories and the National Reference Laboratory.

**Emerging outbreaks:**

- **Sudan Ebola Virus (Uganda):** The outbreak has been declared over as of April 26<sup>th</sup>. Africa CDC noted capacitating communities was key in responding to both the Ebola and mpox outbreaks, and has trained 100 village health teams to strengthen community-based surveillance for both diseases.
- **Cholera (Angola):** There has been a decrease in the number of new cases in the last week (820 new cases vs. 1,419 in the week prior). Cases remain high despite vaccination efforts and active tracing. 67% of deaths are occurring in the hospital, highlighting that for around 33% of cases there is a delay between detection, care, and management of patients in the community.

## Introduction

The COVID-19 pandemic exposed significant global inequities in the access to therapeutics, vaccines, testing, and other medical interventions that could limit the range and impact of the disease. These global inequities are not limited to the COVID-19 pandemic and need to be critically addressed in the ongoing mpox outbreak. Through our QuickStart newsletter updates, we aim to serve as an external, independent source for tracking actions to meet commitments, catalyzing additional commitments to meet the need, and holding the world to account for the mpox response.


## Epidemiology

On August 13th, 2024, the Africa CDC declared the mpox outbreak a Public Health Emergency of Continental Security (PHECS), which is the first time this designation has been used since the agency's inception. On August 14th, 2024, the World Health Organization declared the mpox outbreak a public health emergency of international concern (PHEIC). Mpox is an infectious disease that [causes symptoms](#) such as a painful rash, fever, muscle aches, and headaches. Symptoms [can last](#) 2-4 weeks, and the virus can be passed to others until all sores have healed and a new layer of skin has formed. Mpox [spreads](#) through close skin to skin contact with someone who has mpox, through contact with contaminated objects or needle injuries, during pregnancy or birth, or from exposure to an animal with mpox. Currently, the animal reservoir of mpox is unknown.

There are [two clades](#) of the virus: clade I (subclades Ia and Ib) and clade II (subclades IIa and IIb). Clade I is more likely to cause severe illness and death, and is currently spreading in Central and [Eastern Africa](#).

Historically clade I mpox cases typically resulted from contact with an infected animal, but subclade Ib cases appears to be [spreading](#) mostly through human-to-human contact. Subclade Ib is a newer subclade and its spread from the Democratic Republic of Congo (DRC) to surrounding countries (Burundi, Kenya, Rwanda, Uganda) is partly what triggered the PHEIC declaration. Recently, a [new variant](#) of clade Ia (APOBEC3) has been detected in the DRC with potentially higher transmissibility. The APOBEC3 mutation is also seen in novel clade Ib and is a factor associated with its increased transmissibility. Clade II was the cause of the 2022 outbreak and usually causes less severe illness, and is endemic to West Africa.

**MPXV clades detected in Africa**  
 from 1 Jan 2022, as of 27 Apr 2025



The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. United and dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

Data Source: World Health Organization  
 Map Production: WHO Health Emergencies Programme  
 © WHO 2025. All rights reserved.

Source: WHO 2022-2024 Mpox Outbreak: Global Trends



In 2025 alone (as of April 29th), a total of 44,503 mpox cases were reported across 17 countries, with 10,095 (22.68%) confirmed cases. As of the end of April 2025, the number of mpox cases across the continent have reached 57% of the number of cases in 2024. In Africa, 17 countries are currently in the active phase of the mpox outbreak: DRC, Burundi, CAR, Côte d'Ivoire, Nigeria, Rwanda, Uganda, Kenya, Republic of Congo, Zambia, Liberia, Sierra Leone, Angola, South Sudan, South Africa, Tanzania, and Malawi. Malawi reported its first cases of mpox on April 16<sup>th</sup> and has since identified a total of four cases. None of the confirmed cases have a history of travel to another part of Africa, suggesting the virus is circulating in Malawi. 6 countries are in the control phase. In epi week 15 across 11 countries, 2,479 cases have been notified, 504 of those were confirmed (20.3), and 17 deaths were reported among suspected cases (case fatality rate: 0.69%). Uganda accounted for 39.4% of cases from Africa in epi week 15 and has shown a similar downward trend in the number of mpox cases this week as other countries. Among total confirmed cases in the DRC, clade Ia and Ib are co-circulating, and the APOBEC3 mutation in clade Ia has been reported in Kinshasa.


Efforts to intensify the response appears to be having an impact. In the DRC, there has been a notable decline in the number of suspected and confirmed cases reported in the last 6 weeks compared to the first 6 weeks after the PHECS declaration in 2024. 326 community health workers (CHWs) have been deployed to 11 of the 36 hotspots in Kinshasa to intensify efforts for active case search and contact tracing, with plans to deploy over 1,600 additional (CHWs) and 40 epidemiologists in the coming weeks. In the DRC, mpox and measles are circulating in overlapping hotspot areas and challenging clinical diagnosis and case management. In response, Africa CDC is looking to integrate the measles and mpox response and deploy multiplex testing to affected regions. In Burundi, there has been a consistent decline in the number of new cases since the beginning of 2025. The Ministry of Health in Burundi has proposed a national decentralization plan for mpox diagnostics in the country. The plan clearly defines roles and responsibilities across the diagnostic network, and enhances coordination between decentralized labs and the national reference laboratory.

Outside the African region, 15 countries have reported cases of clade I mpox: Belgium, France, China, the United Kingdom, Canada, Germany, Sweden, Thailand, Pakistan, Nepal, the United States, the United Arab Emirates, Brazil, and Switzerland. In early April, Switzerland reported the first case of clade Ib mpox in a traveler returning from Africa. The case is currently isolating and risk of spread to the public is low. On April 7<sup>th</sup>, the UK reported a new case of clade Ib mpox in a person with no recent travel history or contact with other known mpox cases. An investigation is underway to determine how the patient contracted mpox.

## Regulatory

There are currently three vaccines for mpox on the market: MVA-BN (Bavarian Nordic), LC16-KMB (KM Biologics), and ACAM2000 (Emergent BioSolutions). **MVA-BN was the first mpox vaccine to receive WHO prequalification (September 13<sup>th</sup>)** and LC16-KMB was granted emergency use listing (EUL) on November 19<sup>th</sup>. ACAM2000 remains under consideration by the WHO for EUL. MVA-BN's prequalification **has been extended for use in adolescents aged 12-17 (October 8<sup>th</sup>)**, and **LC16-KMB is the only vaccine approved for use in children under the age of 12**. On March 31<sup>st</sup>, the U.S. FDA approved a freeze-dried formulation of the MVA-BN vaccine, which provides advantages in transportation, storage conditions, and shelf-life. KEMRI, the Kenya Medical Research Institute, has partnered with Tonix Pharmaceuticals to conduct a phase 1 trial for TNX-801 (an investigational mpox vaccine). The DRC has granted emergency use authorization (EUA) (June 2024) for both MVA-BN and LC16-KMB vaccines. Nigeria has also granted emergency use authorization for MVA-BN.

Total confirmed mpox cases, Africa  
Past 12 months, as of 27 Apr 2025



The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

Data Source: World Health Organization  
Map Production: WHO Health Emergencies Programme  
© WHO 2025. All rights reserved.

Source: [WHO 2022-2024 Mpox Outbreak: Global Trends](#)

**The WHO has granted EUL to three mpox diagnostics:**

The Alinity m mpox assay (Abbott – October 3rd), Cobas MPXV (Roche – October 14th), and Xpert mpox (Cepheid – October 25th). Both the Alinity m mpox assay and Cobas MPXV are able to deliver results in less than 2 hours and are considered lab-based, PCR diagnostics. **Cepheid’s Xpert mpox**, compatible with Gene Xpert systems, is able to deliver results in under 40 minutes and **is the only near point-of-care diagnostic available at this time**. Africa CDC has recommended the use of a PCR test manufactured by Morocco-based Moldiag, which offers a lower price of around \$5-6 per test.

The Africa CDC Diagnostic Advisory Committee is currently evaluating 2 rapid diagnostic tests (RDTs) at the National Institute of Biomedical Research in the DRC – one RDT from Conti Pharma and one RDT from Revital. Both of these RDTs were evaluated last year and found to have a sensitivity of 23%, but manufacturers have made improvements that will hopefully improve sensitivity of the tests. Results from the evaluation are expected in the second week of May 2025.

**Summary of key regulatory dates:**

Product Name	Regulatory Approval Type	Date
MVA-BN (Bavarian Nordic, vaccine)	WHO PQ	September 13, 2024; extended for use in adolescents 12-17 on October 8, 2024
LC16-KMB (KM Biologics, vaccine)	WHO EUL	November 19, 2024
Alinity m mpox assay (Abbot, diagnostic)	WHO EUL	October 3, 2024
Cobas MPXV (Roche, diagnostic)	WHO EUL	October 14, 2024
Xpert Mpox (Cepheid, diagnostic)	WHO EUL	October 25, 2024

## Vaccines

### Supply:

The **estimated need for vaccine doses is between 18-22 million doses** to meet the Africa CDC's goal of vaccinating at least 10 million people in 6 months. There are three existing vaccines that are effective against mpox: MVA-BN (Bavarian Nordic), ACAM2000 (Emergent BioSolutions), and LC16-KMB (KM Biologics), but at the present time the WHO recommends use of MVA-BN or LC16-KMB during an outbreak. Many doses of all three available vaccines are within high-income countries' national stockpiles, and **most countries have not disclosed the available quantity**. The U.S. **has over** 100 million doses of ACAM2000, and an unknown quantity of MVA-BN doses. It is unclear if the U.S. pledged doses for donation will come from the U.S. stockpile of vaccines. Canada **may have** up to 2 million doses of MVA-BN in the national stockpile. Japan **may have** up to 200 million doses of LC16-KMB, of which up to 3 million have been pledged. Spain **has pledged** 500,000 doses, which is around 20% of its stockpiles, while Germany **has pledged** 100,000 doses from its total military stockpile of 117,000 doses.

### Manufacturing capacity:

Bavarian Nordic, the manufacturer of the MVA-BN mpox vaccine, **estimates it can supply 13 million doses of the vaccine by the end of 2025**, and is exploring options to expand capacity. By the end of 2024, the company estimates 2 million doses could be supplied. Based on early discussions to **transfer manufacturing** to other companies there is the potential for **an additional 50 million doses to be supplied in the next 12-18 months**. With only 2 million doses that can be supplied by Bavarian Nordic by the end of 2024, **it will be critical for high-income countries with national stockpiles to donate doses to meet the estimated need**.

As part of efforts to address supply constraints, Bavarian Nordic **entered** into a licensing and manufacturing agreement with the Serum Institute of India (SII). The agreement includes technology transfer to enable supply for the Indian market where SII already has the licenses to sell and distribute the product. Additionally, Africa CDC has **announced** that a technology transfer agreement is close to being finalized between Bavarian Nordic and a local African manufacturer. The agreement is expected to be finalized and announced in the coming weeks, with the goal of building a stockpile of doses for the continent.


### Procurement:

The European Health Emergency Response Authority **has negotiated** a joint contract to enable EU countries to access MVA-BN vaccines and tecovirimat for mpox. The exact cost of mpox vaccines is unclear, but it is estimated the **market price** of MVA-BN is around \$70-\$100 per dose, which would quickly deplete Gavi's \$500 million First Response Fund. Gavi has **announced** plans to purchase 500,000 doses of MVA-BN, using money from the First Response Fund to procure the doses and support the transportation, delivery, and costs of administering the vaccines. UNICEF has **announced** an **agreement to purchase 1 million doses of MVA-BN**, which includes the 500,000 doses that were committed by Gavi. Bavarian Nordic has stated all **1 million doses will be made available for supply by the end of 2024**.

### Donations:

**In the last two weeks, there have been no new donations of mpox vaccines announced.** Fewer than 5.6 million vaccine doses have **been pledged** for donation. On September 24th, the United States **announced** a donation of 1 million doses of the MVA-BN vaccine to the international mpox response. This marks the largest donation of MVA-BN mpox vaccines to date. This donation is in addition to the combined 60,000 doses the U.S. donated and delivered to Nigeria (10,000 doses) and the DRC (50,000 doses). The European Commission has pledged 566,500 doses. Canada has also **pledged** to donate up to 200,000 doses, stating that the number of doses delivered will be dependent on the receiving countries' capacity for storage and administration. The available mpox vaccines have less strict cold-chain requirements compared to COVID-19 vaccines and many available mpox vaccines can be stored in a refrigerator (see table below). Japan **has pledged** up to 3 million doses of the LC16-KMB vaccine. The vaccine donations from Japan are expected by the end of 2024, but **challenges** have risen around liability issues and identifying an entity to take on the risk in case of adverse events. Nigeria **donated** 1,000 doses of mpox vaccines (from the 10,000 doses they received from the U.S.) to Rwanda.

The WHO and partners have [established](#) an **access and allocation mechanism (AAM) for mpox** medical countermeasures, including vaccines, treatments, and diagnostic tests. This mechanism was established as part of the interim Medical Countermeasures Network. The guiding principles for the mechanism are preventing illness and death, mitigating inequity, and ensuring transparency and flexibility. The AAM has [allocated](#) 899,000 mpox vaccines to 9 countries (Central African Republic, Cote d'Ivoire, the Democratic Republic of the Congo, Kenya, Liberia, Nigeria, Rwanda, South Africa and Uganda). 85% of these vaccines (765,200) will go to the Democratic Republic of the Congo which is currently the most affected country. The second-round [allocation](#) by the AAM consists of 238,000 vaccine doses that will be distributed across 4 countries: Angola, Guinea, Sierra Leone, and Uganda.



Source: Publicly available data compiled by the COVID QuickStart team, last updated April 29, 2025

### Delivery and uptake:

The [first allocation](#) of 899,000 vaccine doses have been accepted by all countries (Cote d'Ivoire, Nigeria, DRC, Liberia, CAR, Rwanda, Uganda, South Africa, and Kenya). It is not clear if all of these 899,000 vaccine doses have been delivered at this time. The European Commission [delivered](#) the first shipment of 100,000 doses (out of a total of 122,300 doses in the next tranche) on November 14th to the Africa CDC. The total 122,300 doses expected to arrive are comprised of donations from Belgium, Germany, and Portugal. This brings the total number of doses delivered to 380,880 (7.06% of pledged doses). Additionally, according to a statement from the [Japanese government](#), 50,000 doses of the LC16m8 vaccine were expected to arrive in Kinshasa during the week of December 16, with an additional 3 million doses scheduled for delivery in February. [The DRC's](#) Ministry of Health hosted Japanese experts and organized an LC16 workshop from December 16 to 19 to prepare for the vaccine's introduction and evaluation, as well as to focus on capacity building, training, and rollout planning. **On April 18<sup>th</sup>, the DRC [received](#) 23,000 doses from Spain. 200,000 doses of mpox vaccines are [expected to arrive](#) this week in the DRC from Gavi. **This brings the total number of doses delivered to 872,000 (15.57% of pledged doses).****

As of December 19, [4,278 doses](#) out of the allocated 9,000 vaccines have been used in Nigeria's vaccination campaign. This marks significant progress in covering the target groups, reflecting strong acceptance among communities and health workers. Nigeria is now preparing for the next phase of its vaccination campaign. As of November 14th, Rwanda has achieved 100% of the vaccination target and the eastern part of the DRC has achieved 103% of the vaccination target. The province of Kinshasa in the DRC has [launched](#) a vaccination campaign, achieving a coverage rate of 44.2%. The DRC is also preparing to extend vaccination efforts to the remaining 16 health zones in Kinshasa. In an effort to accelerate the uptake of the vaccines in the DRC, the new vaccination [approach](#) focuses on **sweeping hotspot catchment areas instead of solely vaccinating contacts**. Liberia is the most recent country to [launch](#) a vaccination campaign and is planning to distribute doses to high-risk areas.

As of the end of December, roughly 175,000 vaccines had been administered in the DRC. [Uganda](#) administered 9,000 vaccine doses donated by the European Commission in the first phase within seven days. The initial rollout prioritized sex workers, with young adults aged 20–49 accounting for 86% of the total vaccinated. Over 407,000 people (99% consumption rate) have been [vaccinated](#) within 14 days in Kinshasa. **Children from the ages of 1-17 accounted for 39% of the total vaccinated.** There is a current shortage of vaccines in the DRC as vaccination coverage stands at 70% of the target population. Across the 5 countries vaccinating, 606,314 doses have been [administered](#). Of those, **543,955 (89.7%) have received the first dose of the recommended 2 doses.**

### Countries that have started mpox vaccination campaigns:

Name	Vaccination campaign start date
Rwanda	September 17, 2024
Democratic Republic of Congo	October 5, 2024
Nigeria	November 18, 2024
Central African Republic	January 18, 2025
Uganda	February 1, 2025
Sierra Leone	March 27, 2025
Liberia	April 16, 2025

### Cold-chain requirements for available vaccines:

<a href="#">MVA-BN</a>	Shipped frozen (-20°C); can be stored frozen for long-term storage or refrigerated (2°C-8°C) and stored for 8 weeks.
<a href="#">LC16-KMB</a>	Can be stored for 2 years in a refrigerator or for 4 weeks at room temperature (37°C or below).
<a href="#">ACAM200</a> <a href="#">0</a>	After reconstitution, can be stored in a refrigerator for 30 days. The antigen component is shipped frozen and can be stored frozen until expiry or refrigerated for up to 18 months or expiry. The diluent can be stored from 15°C-30°C.


## Testing and therapeutics

















In 2025 across all countries, it is estimated that less than 1 suspected case out of 2 is tested. **Testing coverage in the DRC during epi week 15 was 25.7% (compared to 28.2% last week)** The decrease in testing coverage over the last few weeks is believed to be directly the result of the stop of sample transport and sub-optimal sample collection due to the USG foreign aid pause. Africa CDC has succeeded in building decentralized laboratory capacity, increasing the number of laboratories with diagnostic capabilities for mpox from 2 in 2023 to 19 in February, 2025. An additional 3 GeneXpert testing laboratories have been activated in Nord Kivu, DRC, and there are now 26 testing laboratories with 3 capable of performing qPCR. The only WHO approved diagnostics use PCR or near point-of-care PCR. Contipharma's LAMPOX and Monkeypox Virus Antigen Rapid Test Kit both recently received market access authorization in the Democratic Republic of Congo. These are among the first rapid diagnostic tests that could improve testing, but further evaluation is needed to better understand performance and clade differentiation. It is important to note that at this time, **the Africa CDC has emphasized no antigen rapid diagnostic test has demonstrated the minimum requirement for mpox testing.** Morocco-based manufacturer, Moldiag, has delivered their mpox testing kits to Burundi, Uganda, Congo, Senegal, and Nigeria. The U.S. CDC has announced a donation of 300 mpox tests to Sierra Leone to help ensure timely diagnosis and intervention.



**There remains no therapeutic that has received WHO approval for mpox.** Tecovirimat only has approval in the EU and US under animal rule and exceptional circumstances for mpox, and in South Africa for use in severe cases. On January 2nd, 2025, the Japan Ministry of Health, Labor and Welfare approved tecovirimat as the first antiviral treatment for orthopoxviruses despite results of the PALM007 and STOMP trials. Proper use of tecovirimat requires taking the medication within 30 minutes of eating a moderate or high fat meal for the full 14 day course of treatment. This may present difficulties for use in areas experiencing acute food insecurity such as the Democratic Republic of Congo. Results of the PALM007 trial for tecovirimat in the Democratic Republic of Congo showed the antiviral drug was safe **but did not reduce the duration of mpox lesions in patients with clade I mpox**. The study largely included participants under the age of 18 and limited representation of persons living with HIV. Results of the STOMP trial for tecovirimat in clade II mpox showed the antiviral drug was safe, **but did not reduce the time to lesion resolution or have an impact on pain**. Ongoing clinical trials aim to further understand why tecovirimat did not confer benefit, new approaches to treating mpox, and evaluating tecovirimat further in adults and people living with HIV infected with clade 2 mpox. SIGA has into an exclusive license agreement with Vanderbilt University for novel poxvirus monoclonal antibodies, though it will be critical to consider the potential downstream accessibility of this candidate.

On January 15th, the Africa CDC announced **the first patients had been enrolled in the MOSA trial** which will be evaluating different antivirals for mpox either alone or in combination. The first antiviral that will be evaluated is brincidofovir (Emergent BioSolutions) which is currently only available in the U.S. under the emergency use investigational new drug designation for mpox.

**Therapeutics | 100 Days Mission mpox tracker** Day 60 of mpox PHEIC   
 13th October 2024   
 

Candidate Manufacturer	WHO-listed authority approved for mpox	WHO EUL	Use in under-18s	Ongoing trials <sup>3</sup>	Availability	Manufacturing capability	Comments
<b>Tecovirimat*</b> Siga 	 EMA†			<b>6</b> ○ Ph I ● Ph II ● Ph III ○ Ph IV	South Africa; used under EA-IND for mpox in USA	Easily manufactured at scale	Primary endpoint not met in PALM007 (Clade I in DRC) PK/PD and resistance results awaited
<b>Brincidofovir</b> Emergent BioSolutions 				<b>0</b> ○ Ph I ○ Ph II ○ Ph III ○ Ph IV	Used under EIND for mpox in the USA	N/A	To be tested in the MOSA trial in DRC, Nigeria
<b>VIGIV</b> Emergent BioSolutions 				<b>1</b> ● Ph I ● Ph II ○ Ph III ○ Ph IV	N/A	N/A	Manufacturing/access at scale not currently feasible in LMICs
<b>Cidofovir</b> Gilead 				<b>0</b> ○ Ph I ○ Ph II ○ Ph III ○ Ph IV	N/A	N/A	N/A

**Novel antivirals:** 3 novel antiviral candidates for mpox in preclinical development; **1 in early clinical development (ASCI0)**  
**Monoclonal antibodies (mAbs):** 2 anti-mpox mAbs with ongoing preclinical studies [BFI 753 (Biofutura) and JEPO-CBRND (Just Evotec)]

**KEY:**  Repurposed

\* Available for compassionate use in South Africa and for clinical trials in the DRC and CAR or under application to MEURL, but no African country has applied for or completed an application to MEURL at this time. † Approved under animal rule / exceptional circumstances

EIND: emergency investigational new drug  
 PK/PD: pharmacokinetics / pharmacodynamics  
 EA-IND: expanded access-investigational new drug  
 3 Source: **Pandemic PACT Programme**

Source: [International Pandemic Preparedness Secretariat and Pandemic PACT Programme](#)

Below, is the status of vaccines, therapeutics, and diagnostics. Across all three categories progress has been made, but there is still a need for true point-of-care diagnostics, and more efficient and equitable vaccine allocation and delivery.

**STATUS OF MPOX TOOLS:  
DAY 200**

Day 200 of mpox PHEIC  
1st March 2025



Source: [International Pandemic Preparedness Secretariat and Pandemic PACT Programme](#)

## Financing

The incident management support team has completed the second phase of the [mpox response plan](#) which will be implemented from March 2025 to August 2025. This plan focuses on intensification, integration, and the legacy of the mpox response.

The response strategy is comprised of eight domains: community-centered, multi-sectoral approach, strengthening of national and sub-national coordination, digitized surveillance, syndromic approach, decentralized laboratory testing, accelerated vaccination, and resilient health systems. **This plan calls for a budget of USD \$429,595,970 with 70% of the budget to be spent within the first 3 months (March-May).** 80% of the total budget has been allocated to the intensification phase of the response, with the remaining 20% allocated to the integration and legacy phase (see specific allocation breakdown to the right). Approximately USD \$196 million remains from the first phase of the response and will be available to be carried over into phase 2. Combined with approximately USD \$9.6 million contributed from member states, this leaves a funding gap of USD \$224 million (currently the second phase is 47.9% funded).

Phases	Intensification	Integration and Legacy	Total	%
First 3 months	\$ 274,941,421	\$ 25,775,758	\$ 300,717,179	70%
Last 3 months	\$ 68,735,355	\$ 60,143,436	\$ 128,878,791	30%
<b>Total</b>	<b>\$343,676,776</b>	<b>\$ 85,919,194</b>	<b>\$ 429,595,970</b>	<b>100%</b>
% of total budget	80%	20%	100%	

Pillars	Amount	Allocation key
Coordination and Collaboration	\$ 17,183,839	4%
RCCE	\$ 51,551,516	12%
Surveillance and data	\$ 107,398,993	25%
Laboratory testing and sequencing	\$ 21,479,799	5%
Case Management (Medical, Nutrition & Mental Health)	\$ 42,959,597	10%
Infection Prevention and Control and WASH	\$ 51,551,516	12%
Vaccination and Logistics	\$ 111,694,952	26%
Research	\$ 17,183,839	4%
Continuity of essential services	\$ 8,591,919	2%
<b>Total</b>	<b>\$ 429,595,970</b>	<b>100%</b>

Source: [Africa CDC Weekly Mpox Press Briefing 3/27](#)

The [Mpx Continental Preparedness and Response Plan for Africa](#) requested an **estimated budget of nearly \$600 million USD**, of which around \$329 million (55%) will be allocated for mpox response across 14 countries and mpox readiness in 15 additional countries. The other nearly \$270 million (45%) has been earmarked for operational and technical support through partners. The budget included in the Africa CDC and WHO Mpx Continental Preparedness and Response Plan for Africa does not include costs associated vaccine procurement, which is dependent on price negotiations with manufacturers and donated doses. **Africa CDC has reported they [received pledges](#) totaling \$1.3 billion USD from both international and domestic sources.** Publicly available pledges have been reported below.

#### New financial pledges:

Donor	Recipient	Amount (USD)
USA	DRC and other AU member states and Multilateral Organizations	545,140,302
Coalition for Epidemic Preparedness Innovations (CEPI)	Vaccine development / BioNTech	72,000,000
Coalition for Epidemic Preparedness Innovations (CEPI)	Vaccine manufacturing capabilities (in Rwanda) / Bi	145,000,000
The Pandemic Fund	10 AU MS - WHO/UNICEF/FAO	129,000,000
Mastercard Foundation	UNICEF	35,000,000
Mastercard Foundation	WFP	15,000,000
European Union International Partnerships (EU INTPA)	UNICEF/WHO/Africa CDC	20,000,000
The Global Fund for HIV/AIDS, TB and Malaria (GFATM)	Burundi	140,000
The Global Fund for HIV/AIDS, TB and Malaria (GFATM)	Cote d'Ivoire	1,010,000
The Global Fund for HIV/AIDS, TB and Malaria (GFATM)	DRC	9,500,000

<b>The Global Fund for HIV/AIDS, TB and Malaria (GFATM)</b>	Ghana	1,500,000
<b>The Global Fund for HIV/AIDS, TB and Malaria (GFATM)</b>	Liberia	440,000
<b>The Global Fund for HIV/AIDS, TB and Malaria (GFATM)</b>	Rwanda	5,170,000
<b>UK Foreign, Commonwealth and Development Office (FCDO)</b>	5 Standby Partners	440,000
<b>UK Foreign, Commonwealth and Development Office (FCDO)</b>	IFRC	1,090,000
<b>UK Foreign, Commonwealth and Development Office (FCDO)</b>	Rwanda, UNICEF DRC and other partners and countries	11,700,000
<b>UK Foreign, Commonwealth and Development Office (FCDO)</b>	WHO AFRO	440,000
<b>AU-PRC (Covid response Fund),</b>	Africa CDC	10,400,000
<b>Democratic Republic of Congo (DRC)</b>	DRC	10,000,000
<b>European Union Health Emergency and Response Authority</b>	Africa CDC	10,000,000
<b>African Development Bank (AfDB)</b>	Africa CDC	3,700,000
<b>Cote d'Ivoire</b>	Cote d'Ivoire	2,000,000
<b>The Bill and Melinda Gates Foundation (BMGF)</b>	WHO-Africa CDC Joint Emergency Action Plan (JEAP)	1,600,000
<b>Denmark</b>	WHO	1,400,000
<b>Republic of Korea</b>	Republic of Korea	1,200,000



<b>World Bank</b>	Africa CDC	1,050,000
<b>Burundi</b>	Burundi	1,000,000
<b>Gavi, the Vaccine Alliance</b>	Africa CDC	700,000
		<b>Total: \$1,035,620,302</b>

Source: [Africa CDC Event Dashboards](#)

[The Pandemic Fund](#) has decided, under the Fund's second call for proposals, **to fast-track US \$128.89 million to support 10 countries** in their response to mpox. This funding will go to projects that aim to enhance national and cross-border surveillance and early warning systems; strengthen laboratory capacities for disease detection, sequencing, and genomic surveillance; build a skilled workforce equipped to detect and rapidly respond to health threats and emergencies; and foster multisectoral coordination for pandemic prevention, preparedness, and response through a One Health approach. The 10 countries are: the DRC, Burundi, Rwanda, Uganda, Kenya, Sudan, Djibouti, Ethiopia, Somalia, and South Sudan.

## In the news

Gavi working towards emergency stockpile of mpox vaccines: <https://www.gavi.org/vaccineswork/stockpiling-mpox-emergencies>

Joint mpox continental activity report: <https://africacdc.org/download/outbreaks-response-in-africa-joint-mpox-continental-activity-report/>

Mpox Continental Response Plan 2.0: <https://africacdc.org/download/mpox-continental-response-plan-2-0/>

Understanding the resurgence of mpox: <https://tropmedhealth.biomedcentral.com/articles/10.1186/s41182-024-00678-1>

IPPS 200 day update on Mpox: <https://ippsecretariat.org/news/mpox-remains-a-public-health-emergency-march-2025/>

Africa CDC mpox dashboard: <https://dashboards.africacdc.org/>

IPPS fourth implementation report: [https://d7npznmd5zwwd.cloudfront.net/prod/uploads/2025/01/IPPS\\_100-Days-Mission\\_2024\\_WEB\\_V2-1.pdf](https://d7npznmd5zwwd.cloudfront.net/prod/uploads/2025/01/IPPS_100-Days-Mission_2024_WEB_V2-1.pdf)

MOSA trial: <https://africacdc.org/news-item/enrollment-starts-in-africa-cdc-led-mpox-therapeutic-study-mosa/>

### Acknowledgements:

The primary author is Katharine Olson with review support from Elina Urli Hodges, Krishna Udayakumar, Gary Edson, Mike Merson, Sean Regan, Jessica Joseph, and Caroline Boeke. The authors are grateful to the entire QuickStart team for their input, and particularly thank Melissa Estrada for her design support and Harper Cheng for her support in data collection and management. The content and recommendations in this report is an independent effort by QuickStart, without approval by any external parties. It does not necessarily reflect the viewpoints of funders or any person who contributed to discussions with the QuickStart team that helped inform this report.